


PUBLIC NOTICE
Harford Road Resurfacing from North Avenue to Chesterfield Avenue
Contract No. TR 04303

The Baltimore City Department of Public Works, in coordination with Baltimore City Department of Transportation, is accepting public review and comments for a request to issue an ADMINISTRATIVE WAIVER to the requirements of the City Code for the Resurfacing of Harford Road from North Avenue to Chesterfield Avenue.



Notice is hereby given that the public is invited to comment on the request by Baltimore City Department of Transportation Management, for an Administrative Waiver to the requirements of the City Code for Stormwater Management Quantity Control. This project is eligible for an

Administrative Waiver since it received Preliminary Project Approval on or before May 4, 2010. The Preliminary Project Approval was granted on April 30, 2010. Comments on the administrative waiver must be received by 5:00pm on October 5, 2010, to ensure consideration by the DOT.

The Baltimore City Department of Transportation is proposing Resurfacing of the 1900-3700 Blocks of Harford Road (from North Avenue to Chesterfield Avenue). The proposed improvements include:

- Repairs, renovations and reconstruction of sidewalks and medians
- Asphalt mill and overlay
- Upgrade existing sidewalk ramps to comply with current ADA standards
- Minor signal, signing, pavement markings, drainage improvements replacement/relocation due to proposed roadway impacts
- Major landscaping due to removal a paved areas

The requirements for Stormwater Management in accordance with the Baltimore City Stormwater Management Ordinance have been met for Redevelopment. Channel protection volume, recharge volume and overbank flood protection volume are not required. It has been demonstrated that this project will reduce impervious area and as a result, will not increase discharge rates for the Q100 to Herring Run or Jones Falls. With respect to quality control, the project currently provides in excess of a 50% decrease in impervious area, where only a 20% decrease is required.

A copy of the Stormwater Management Report may be obtained by calling and making a request at the Department of Transportation (Main Number: 410-396-6802), or by visiting the office during normal business hour:

City of Baltimore, Department of Transportation
417 East Fayette Street, 5th Floor
Baltimore, MD 21202

Waiver Comments, Questions or Notices regarding future actions on this project will be posted.

Questions or comments on the project may be submitted during the review period by mail to Mr. Warren Ware, Baltimore City Department of Public Works (DPW), Bureau of Water and Wastewater, Surface Water Management Division, 3001 Druid Park Drive, Baltimore, MD 21215, or by email to warren.ware@baltimorecity.gov .

